

# DesignLights Consortium



Classification	Standard
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	100 W
Reported Light Output	15460 lm
Reported CCT	4000 K
Reported CRI (Ra)	71
Product ID	S-I8APOR
DLC Family Code	<a href="#">UUUVFS</a>
Listing Status	Listed
Date Qualified	2023-03-03

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-I8APOR
Manufacturer	BIG SHINE LED
Brand	Big Shine LED
Model Number	BSL-HB100H-BL7-BYSL-4000K-120
Parent	No
Classification	Standard
DLC Family Code	UUUVFS
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

## PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	No
-------------------	----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	15460 lm
Reported Efficacy (AC)	154.6 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	71
Reported R9	-32
Reported IES Rf	74
Reported IES Rg	91
Reported IES Rcs,h1	-18
Reported Default Light Output	13970 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	100 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.95
Reported Default Input Wattage	100 W
Voltage Range	277-480 V

## VERSION HISTORY VIEW DETAILS

2023-03-03	Listed	5.1	Standard
2023-03-02	Listed	5.1	Premium