

# DesignLights Consortium



Classification	Premium
Primary Use	Parking Garage Luminaires
Reported Input Wattage	98.4 W
Reported Light Output	13141 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-ALS5M7
DLC Family Code	<a href="#">XXXEXL</a>
Listing Status	Listed
Date Qualified	2023-06-13

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-ALS5M7
Manufacturer	BIG SHINE LED
Brand	Big Shine LED
Model Number	BSL-CP100-CRN-SSLL-3000K-165
Parent	Yes
Classification	Premium
DLC Family Code	XXXEXL
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	High Output
Primary Use Designation	Parking Garage Luminaires

## PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming above 10%
Integral Control Capability	No Control Capability
Sensor Type	Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	13141 lm
Reported Efficacy (AC)	133.6 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	5
Reported IES Rf	83
Reported IES Rg	98
Reported IES Rcs,h1	-11
Reported Default Light Output	13141 lm
Reported BUG Rating	B3 U3 G3

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	98.4 W
Reported Total Harmonic Distortion	9.4 %
Reported Power Factor	0.96
Reported Default Input Wattage	98.4 W
Voltage Range	100-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	13141 lm
Tested Efficacy (AC)	133.6 lm/W
Tested CCT	2993 K
Tested CRI (Ra)	82
Tested R9	5
Tested IES Rf	83
Tested IES Rg	98

Tested IES Rcs,h1	-11 %
Tested Duv	-0.00108
Tested Backlight (TM-15 BUG)	3
Tested BUG Rating	B3 U3 G4

## TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	98.4 W
Tested Total Harmonic Distortion	9.4 %
Tested Power Factor	0.959

## VERSION HISTORY VIEW DETAILS

2023-06-13	Listed	5.1	Premium
------------	--------	-----	---------