DesignLights Consortium



Firefox



Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	120 W
Reported Light Output	20000 lm
Reported CCT	4000 K
Reported CRI (Ra)	80
Product ID	S-ZHQGI4
DLC Family Code	UUUVGB
Listing Status	Listed
Date Qualified	2023-03-03

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting	
Technical Requirements Version	5.1	
Product ID	S-ZHQGI4	
Manufacturer	BIG SHINE LED	
Brand	Big Shine LED	
Model Number	BSL-HB120-TK7-LFLL-CCT02-BA02	
Parent	No	
Classification	Premium	
DLC Family Code	UUUVGB	
Input Power Type	AC	
Input Power Type	AC	

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	Yes	
Dimming Capability and Range	Continuous Dimming to 10% or below	
Integral Control Capability	No Control Capability	
Sensor Type	No Sensor	
SSL V5 Wired Communication Protocol	No Wired Communication Protocol	
SSL V5 Wireless Communication Protocol	No Wireless Protocol	
Field Adjustable Light Output	Yes	
White-Tunable	Yes	
Warm-Dimming	No	
Field Adjustable Light Distribution	Yes	
Field Adjustable Distribution Type	Integral FALD	

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	20000 lm
Reported Efficacy (AC)	160 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	80
Reported R9	7
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Minimum Light Output	9720 lm
Reported Maximum Light Output	20000 lm
Reported Minimum CCT	4000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	20000 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	120 W
Reported Total Harmonic Distortion	10 %
Reported Power Factor	0.95
Reported Minimum Input Wattage	72 W
Reported Maximum Input Wattage	120
Reported Default Input Wattage	120 W
Voltage Range	100-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Field Adjustable Light Distribution Setting	60,85 and 100
---	---------------

VERSION HISTORY VIEW DETAILS

2023-03-03	Listed	5.1	Premium
2023-03-02	Listed	5.1	Premium